

C-127, IInd Floor, Phase 8,

Industrial Area, S.A.S Nagar, Mohali 160071, Punjab, India

# नवोन्मेषी एवं अनुप्रयुक्त जैव - प्रसंस्करण केंद्र (सीo आईo ऐo बीo)

सी-127, दूसरा तल, फेस-8,

औद्योगिक क्षेत्र, एस. ए. एस. नगर, मोहाली-160071, पंजाब, भारत



A National Institute under the Department of Biotechnology (Govt. of India)

CIAB/1(226)17-18/Pur

27th September, 2017

# **CORRIGENDUM**

## **SUPPLY AND INSTALLATION OF HPLC**

Attention is invited to the limited Tender ref no. CIAB/1(226)17-18/Pur for the supply and installation HPLC. The specifications of the required HPLC may be read as:

	T. J. N. CLAD/1/22017 19/D
Sno	Tender No. CIAB/1(226)17-18/Pur
01	Published Specification: Published specification of required HPLC may be <b>ignored</b>
02	Required Specifications:
	Binary Gradient High Pressure Analytical HPLC system with following configurations (The financial bid must contain itemized prices for each item).  1. High pressure binary pump with wide range of flow rate up to 9.9 ml/min or better.  2. Precision: 0.1% or less.  3. The machine should be operable both in isocratic and gradient mode.  4. Maximum operating pressure: 400 bar or more.  5. The pump should be corrosion resistant and applicable to wide range of pH and solvents  6. Flow accuracy: 1% or better.  Degasser Unit  1. Degassed solvent channels: 2 or more channels.  Auto sampler  1. The auto sampler should work with injection volume up to 100 µl.  2. Tray capacity of 90 vials or more.  3. Auto sampler with provision of rinsing of needle between injections with variable injection volume.  4. Carry over: 0.1% or better.
	Column oven  1. Oven should have temperature control system.
	Over should have temperature control system.     Operating temperature: ambient to 80°C or more.
	3. Should be able to hold 30 cm column in either horizontal or vertical format.
	4. Accuracy: ± 0.5°C or less.
	PDA/DAD detector
	<ol> <li>Wavelength range: 190 to 800 nm or wider.</li> <li>Wavelength accuracy: ± 1nm ( maximum)</li> <li>Drift: 1 ×10<sup>-3</sup> AU/ hr or less.</li> </ol>

4. Linearity: 2 AU or more.

Drift: 2×10<sup>-7</sup> RIU/ hr or less.

Flow cell volume: 9 µL or less.

Noise: 2.5 ×10<sup>-9</sup> RIU or less.

RI range: 1-1.75 RIU

RI detector

1. 2.

3.

#### Software and hardware

- 1. The software should be original and authenticate and capable of having single point control of all system dependable components.
- 2. The software should be compatible for running GPC/SEC analysis and its calibration.
- 3. Should have option for report generation, online help and answer Real time view of the chromatograms.
- 4. One branded desktop computer (processor Intel core i7 @3.40 GHz; RAM 16 GB; Memory 1 TB; screen size 23 inch or more; DVD writer drive; keyboard and mouse) with LaserJet color multifunction printer.

## **Optional accessories:**

- Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H<sub>2</sub>SO<sub>4</sub> using RI detector; Dimensions: 300 mm L and 8 µm particle size - **One quantity**.
- 2. Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose) in H<sub>2</sub>O using RI detector; Dimensions: 300 mm L and 8 μm particle size **One quantity**.
- 3. C18 column with dimensions: 250 mm L and 5 µm particle size One quantity.
- 4. Appropriate guard column should be provided- One quantity.
- 5. All the accessories prices should be included in the quote separately.

#### **General**

- 1. All the mainframe components of the HPLC (Auto sampler, detectors, pumps, and column oven, software, analysis columns) must be from the same manufacturer.
- 2. The system should be capable for running GPC/SEC analysis.
- 3. All other accessories and peripherals required for installation, functioning and regular maintenance of the system must be quoted with the instrument.
- 4. The system should be stand alone with respect to all functionalities of the machine and its accessories, peripherals, add-on like PC, Printer, and Software.
- 5. The financial bid must contain itemized prices for each item.
- A list of users in India (particularly Govt. of India R& D organizations) and a copy of at least 5 latest purchase orders of the similar model of the instrument executed in Gov. R&D organizations in the recent years should be enclosed.
- 7. The system should be suited to Indian system of electrical inputs (220V/ 50Hz).
- 8. The manufacturing firm should have CE certification.
- 9. Warranty: At least one year for complete instrument with all modules and labor.

Failing in compliance may cause cancellation of the bid without any further notice/information.

2. The remaining specifications, dates and terms & conditions of the tender are remains same. The Chief Executive Officer, CIAB reserves the right to accept or reject any offer without assigning any reason.

S/D

(Hardip Singh)
Store and Purchase Officer



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

CIAB/ 1 (226)/17-18/N.Pur

12.09.2017

#### **NOTICE INVITING QUOTATION**

1. Sealed Quotations in TWO BID SYSTÉM are invited on behalf of Chief Executive Officer CIAB, Mohali for the purchase of following items so as to reach latest by 16.10..2017 on or before 2.30 pm. Technical and Commercial bids should be sent in separate sealed envelopes and enclosing them in a common sealed cover. The Quotations will be opened on the same day i.e by 16.10.2017 at 3.00 pm in the presence of tenderers or their authorized representative, if any. Your quotation should be in sealed cover which should be enclosed in an outer envelope. Unsealed quotations shall not be considered. The inner sealed cover should be clearly superscribed as "Quotation against Tender CIAB/1(226)/17-18/N.Pur "for supply of Binary Gradient High Pressure Analytical HPLC system" on by 16.10.2017. No quotation will be considered until and unless quotation is signed with full signatures and carries the stamp of the tenderers.

A person signing the quotation or any other document forming part of the contract on behalf of the firm shall be deemed to warranty that he has the authority to bind the firm for all purposes/conditions/clauses of the contract/quotation and if in any state it is found that the person so signing had no authority to do so, the Institute may, without prejudice to other civil and criminal remedies against the contract, hold the signatory and the firm liable for all costs and damages.

S.No.	Description	Qty
01	Binary Gradient High Pressure Analytical HPLC system	One (01)

#### **Technical Specifications**

#### **HPLC**

- 1. High pressure binary pump with wide range of flow rate (0 to 5 ml/min or better).
- 2. Precision: 0.5% or less.
- 3. The machine should be operable both in isocratic and gradient mode.
- 4. Maximum operating pressure: 600 bar or more.
- 5. The pump should be corrosion resistant and applicable to wide range of pH and solvents
- 6. Flow accuracy: ±1% (maximum).
- 7. Should contain a manual injector with injection volume range of 0.1 to 100 μl.

#### **Degasser Unit**

- 1. Degassed solvent channels: 4 or more.
- 2. Flow line capacity: 4 ml or more.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

#### Auto sampler

- 1. The auto sampler should work with injection volume range of 0.1 to 100  $\mu$ l.
- 2. Tray capacity of 100 vials or more.
- 3. Auto sampler with provision of rinsing of needle between injections with variable injection volume.
- 4. Carry over: ≤1%.

#### Column oven

- 1. Oven should have temperature control system.
- 2. Operating temperature: ambient to 80°C or more.
- 3. Should be able to hold 30 cm column in either horizontal or vertical format.
- 4. Accuracy: ± 0.5°C or less.

#### PDA/DAD detector

- 1. Wavelength range: 190 to 800 nm or wider.
- 2. Wavelength accuracy: ± 1nm (maximum)
- 3. Drift:  $1 \times 10^{-3}$  AU/ hr or less.
- 4. Linearity: 2 AU or more.

#### RI detector

- 1. Drift:  $2\times10^{-7}$  RIU/ hr or less.
- 2. RI range: 1-1.75 RIU
- 3. Flow cell volume: 9 μL or more.
- Noise: 2.5 ×10<sup>-9</sup> RIU or less.

## Software and hardware

- 1. The software should be original and authenticate and capable of having single point control of all system dependable components.
- 2. The software should be compatible for running GPC/SEC analysis and its calibration.
- 3. Should have option for report generation, online help and answer Real time view of the chromatograms.
- 4. One branded desktop computer (processor Intel core i7 @3.40 GHz; RAM 8 GB; Memory 1 TB; screen size 23 inch or more; DVD writer drive; keyboard and mouse) with LaserJet color multifunction printer.

## **Optional accessories:**

 Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H<sub>2</sub>SO<sub>4</sub> using RI detector; Dimensions: 300 mm L and 8 μm porosity - One quantity.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

- 2. Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose) in  $H_2O$  using RI detector; Dimensions: 300 mm L and 8  $\mu$ m porosity **One** quantity.
- 3. C18 column with dimensions: 250 mm L and 5  $\mu$ m porosity **One quantity**.
- 4. Appropriate guard column should be provided- **One quantity**.
- 5. All the accessories prices should be included in the quote separately.

#### **General conditions:**

- 1. All the mainframe components of the HPLC (Auto sampler, detectors, pumps, and column oven, software, analysis columns) must be from the same manufacturer.
- 2. The system should be capable for running GPC/SEC analysis.
- 3. All other accessories and peripherals required for installation, functioning and regular maintenance of the system must be quoted with the instrument.
- 4. The system should be stand alone with respect to all functionalities of the machine and its accessories, peripherals, add-on like PC, Printer, and Software.
- 5. Appropriate capacity of branded UPS with a backup time of 30 min or more should form part of the core system itself and its cost (**if any as optional**) should be clearly mentioned in the financial bid.
- 6. The financial bid must contain itemized prices for each item.
- 7. A list of users in India (particularly Govt. of India R& D organizations) and a copy of at least three latest purchase orders of the similar model of the instrument executed in Gov. R&D organizations in the past three years should be enclosed.
- 8. The system should be suited to Indian system of electrical inputs (220V/50Hz).
- 9. The vendor must provide authorization letter from the manufacturer.
- 10. The manufacturing firm should have CE certification.
- 11. Warranty: At least 01 year for complete instrument with all modules and labor.

Failing in compliance in specification and general conditions may cause cancellation of the bid without any further notice/information.

BEFORE QUOTING PLEASE REFER THE INSTRUCTIONS ATTACHED CAREFULLY

Yours faithfully,

Stores and Purchase Officer Tele: 0172-5221522

E mail: hardipbpu@gmail.com



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

## **INSTRUCTIONS**

- All accessories required for successful installation, functioning and regular maintenance of the systems must be quoted
- Warranty: Minimum one years. Additional AMC/CMC for subsequent five years to be quoted as optional in **Annexure 'E'** for the purpose to freeze the AMC/CMC Charges beyond the warranty period.
- The system should be suited to Indian system of electrical inputs (220V/50Hz).
- Inquiry will be sent by UPC/Courier/Speed Post/E-mail and CIAB will not be liable for any kind of Postal delay.
- The Quotation Should be addressed to the Chief Executive Officer, CIAB, Mohali invariably giving on the envelop Reference No. with date and Due date with time.
- The Quantity mentioned in this inquiry and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- The quotation should be enclosed in a sealed envelope.
- Firms will quote separately for each article.
- <u>Tender fee</u>: The tenderer should submit <u>tender fee</u> (Non Refundable) of Rs. 1770/- in form of Bank Demand Draft favouring, Chief Executive Officer, CIAB payable at Chandigarh/Mohali. The tender without tender fee will be summarily rejected. The tender feeshould be submitted alongwith Technical BID.

• Earnest Money Deposit (EMD): The tenderer should submit EMD of Rs. 92750/- in form of Bank Demand Draft favouring, Chief Executive Officer, CIAB payable at Chandigarh/Mohali. The tender without EMD will be summarily rejected. The EMD should be submitted alongwith Technical BID.

Opening of BIDS: Technical and Commercial bids should be sent in separate sealed envelopes and enclosing them in a common sealed cover should be submitted on 16.10.2017 at 2.30 pm. The Technical Bid will be opened on the same day i.e. 16.10.2017 at 3.00 pm in the presence of tenderers or their authorized representative, if any. Your quotation should be in sealed cover which should be enclosed in an outer envelope. Unsealed quotations shall not be considered. The inner sealed cover should be clearly superscribed as "Quotation against Tender CIAB/1(226)/17-18/N.Pur "for supply of Binary Gradient High Pressure Analytical HPLC System" due on 16.10.2017.

Price BID of technically qualified parties will be opened subsequently. The Intimation of the same will be given to the technically qualified parties.

If any unscheduled holiday occurs on the date of submission/opening, then next working day shall be the prescribed date of submission/opening. Requests for postponement will not be entertained.

- Prices:
- A) For goods manufactured with India: (Format as per Annexure "B")
  - (i) The price of goods quoted Ex-Works including taxes already paid.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

- (ii) VAT and other taxes like excise duty etc. which will be payable on the goods if the contract is awarded.
  - (a) The charges for inland transportation, insurance and other local service required for delivering the goods at the desired destination as specified in the price schedule form.
  - (b) The installation, commissioning and training charges including any incidental services, if any.
- B) For goods manufactured abroad: (Format as per Annexure "C")
  - (i) The price of the goods, quoted on FCA (including inland freight) (Named place of delivery abroad) or FOB (Named port of shipment), as specified in the schedule form. The charges for insurance and transportation of the goods to the port/place of destination.
  - (ii) The agency commission charges, if any.
  - (iii) The installation, commissioning and training charges including any incidental services, if any.
- C) The Institute is having exemption for the payment of Excise Duty under notification number 10/97 dated 01.03.1997 and Customs Duty under notification No.51/96 dated 23.07.1996. Hence Excise Duty and Customs Duty, if any, should be shown separately. No other charges than those mentioned clearly in the quotation will be paid.
- D) Sales Tax: We are not authorized to issue any Sales Tax Form 'C' & 'D'.
- VALIDITY OF OFFER:

The prices must be valid at least for a period of **90 days for indigenous supplies** & **180 days for imports** from the date of opening of the quotation.

- The delivery period should be specifically stated. EX-Stock and earlier delivery may be preferred.
- Samples wherever asked for will not be paid for these should be delivered in the office of the
  undersigned securely labelled and packed. In case of terms who submit the samples through
  Railways/Road Transport the freight should be prepaid and RR should be in favour of Stores and
  purchase of CIAB, Mohali.

#### • REASONABILITY OF PRICES:

Please quote best minimum prices applicable for a premier Research Institution, <u>leaving no scope for any further negotiations on prices</u>.

The quoting party should give a **certificate** to the effect that the quoted prices are the minimum and they have <u>not quoted</u> the same item on lesser rates than those being offered to CIAB to any other customer nor they will do so till the validity of offer or execution of the purchase order, which ever is later. We request you to fill the price reasonability certificate format in the enclosed file (**Annexure "D"**).

The party must give details of identical or similar equipment, if any, supplied three National laboratories or R&D organizations setup by GOI during last five years along with the final price paid and Performance certificate from them.

The rates quoted should be in Nos and otherwise your quotations is liable to be ignored.

#### • SPECIFICATIONS:

**A.** Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. At the same time it must be kept in mind that <u>merely copying our specifications</u> in the quotation shall not make the parties eligible for consideration of the quotation. <u>A quotation has</u>



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

to be supported with the printed technical leaflet/literature of the quoted model of the item by the quoting party/manufacturer and the specifications mentioned in the quotation must be reflected/supported by the printed technical leaflet/literature. Therefore the model quoted invariably be highlighted in the leaflet/literature enclosed with the quotation. Non-compliance of the above shall be treated as incomplete/ambiguous and the offer can be ignored without giving an opportunity for clarification/negotiation etc. to the quoting party.

- **B.** The technical bid shall be evaluated for acceptability by the technical committee and may call the tenderers for discussion. If necessary, the committee may modify the technical specification to suit the CIAB requirement.
- **C.** The compliance statement of specification as per Annexure 'A' please be filled and supplied with the quotation.
- D. The items which can/are to be procured indigenously may be listed separately.

## • PAYMENT CONDITION:

Payment on Bill Basis after supply: For local supplies the payment will be made through NEFT/RTGS/TT only after satisfactory installation, commissioning and performance of the equipment at CIAB and after certification by our technical expert/scientist and with the submission of PBG of 10% of FOB/FCA value to CIAB Mohali valid for period of 15 months from the date of installation. All foreign bank charges shall go to the supplier account.

- <u>COMMENCEMENT OF WARRANTY PERIOD:</u> The warranty period of an item shall commence from
  the date of satisfactory installation/commissioning/demonstration at the project site in CIAB, MOHALI.
  The warranty period and validity of Performance Guarantee shall be extended for the period of delay in
  satisfactory installation and delay in warranty services.
- No Advance Payment: No Advance payment will be made to any supplier.
- SUPPLY AND INSTALLATION TIME: The ordered material should be supplied within 80 days from the date of confirmed Letter of Credit. The equipment should be installed/commissioned and demonstrated, by the supplier at the lab immediately but not later than 30 days material received at CIAB Laboratory and the same will be put under operation to the satisfaction of our technical expert/Scientist who will test the performance of the equipment. No separate charges for installation etc. will be paid to the party beyond the quoted prices.
- <u>GUARANTEE/WARANTY:</u> The equipment/instrument must be guaranteed/warranted for a period of
  One years from the date of its satisfactory installation/commissioning against all manufacturing
  defects. If the equipment is found defective during this period the whole equipment or part thereof will
  have to be replaced/repaired by the supplier free of cost at the lab. or at site of the supplier for which 'to
  and fro' expenses will be borne by the supplier.
- <u>AFTER SALES SERVICES:</u> It should be clearly mentioned in the quotation whether the after sales services during and after the completion of warranty shall be provided directly by the supplier or their authorized agent/representative. Terms of the after sales services, if any, may be mentioned in the offer. However, in both the cases the original supplier shall be responsible for poor



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

performance/services. The company should have service engineers within 300 km of the range of the institute.

#### INSPECTION:

- **a.** The inspection of the system will be done by our technical expert /Scientist in the presence of firm's representative.
- b. In case of receipt of the material in short supply or damaged condition the supplier will have to arrange the supplies/ replacement of goods free of cost pending the settlement of the insurance case wherever applicable on FOR at the lab. or CIF basis till satisfactory installation of the system.
- c. The supplier should arrange for physical Inspection of the items directly or through their authorized representative within seven days of arrival of the consignment failing which they will be responsible for the losses. After the shipment is effected, the supplier/its representative/Indian agents must remain in touch with the lab/instt. to ascertain the date of arrival of consignment.

#### PENALTY CLAUSE FOR LATE DELIVERY & LATE INSTALLATION:

- **a.** Subject to operation of Force Majeure, time for delivery and acceptance is the essence of this contract. The supplier shall arrange to ship the ordered materials within the delivery period mentioned in the order unless extended with/without penalty.
- **b.** In case of delay in supply on part of the supplier, a penalty @ 1% per week of Order/FOB value will be charged for delayed period subject to a maximum of 10% of order/FOB value.
- c. Apart from the delay in supply, In case of delay in Installation on part of the supplier, a penalty @ 1% per week of Order/FOB value will be charged for delayed period of installation subject to a maximum of 10% of order/FOB value.
- d. If the delay in the shipment of the ordered materials attributable to the supplier exceeds agreed time period from the date of original agreed upon date of shipment and extended with/without penalty, the E shall have the right to cancel the contract/purchase order and recover the liquidated damages from other dues of the party or by legal means. It will also affect the other/future business dealings with such suppliers.

## • TRAINING:

Wherever needed, Our Scientist/Technical persons should be trained by the supplier at the project site free of cost. In case the person is to be trained at supplier's site abroad or in India it should be mentioned in the quotation clearly. The supplier should bear all the expenses for such training including 'to & fro' fares and lodging & boarding charges

## LATE/ DELAYED /UNSOLICITED QUOTATION:

Late or delayed/Unsolicited quotations/offers shall not be considered at all. These will be returned to the firms as it is. Post tender revisions/corrections shall also not be considered.

#### ACCEPTANCE OR REJECTION OF OFFER:

The Chief Executive Officer, CIAB, Mohali reserves the right to accept or reject any quotation in part or full without assigning any reason thereof. The successful bidder should submit Order acceptance within 15 days from the date of issue to your successful bidder.

#### PAGE NUMBERING & SIGNATURES:

Your offer should be a page numbered and signed by an authorized signatory giving his/her name and designation below the signatures.



(A National Institute under Department of Biotechnology, Government of India) Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

- <u>INTERIM ENQUIRIES:</u> No interim inquiries will be attended.
- In case the item is quoted in foreign currency, Please specify on your quote:
  - Gross weight of the consignment
  - Chargeable weight of the consignment
  - Nature of the consignment (Voluminous/ Non Voluminous)
  - Dimensions of the consignment after packing
- FORCE MAJEURE: The Supplier shall not be liable for forfeiture of its performance bank guarantee liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- CLEARANCE OF MATERIAL FROM INDIAN CUSTOMS In case of import, the goods so shipped will be cleared
  in INDIA by your Indian counterpart or India Agent. The authorization, Custom Duty Exemption Certificate and
  other documents will be provided by CIAB. The necessary charges for the clearance of consignment and
  concessional Custom Duty will be paid be the CIAB.

Yours faithfully,

Stores and Purchase Officer Tele: 0172-5221522

E\_mail: hardipbpu@gmail.com



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE 'A'

## FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS

S. N.	Name of specifications/part /	Specifications	Compliance	Deviation, if	Whether the
	Accessories of tender enquiry	of quoted Model/ Item	Whether "YES" Or "NO"	any, to be indicated in unambiguous terms	compliance / deviation is clearly mentioned in technical leaflet/ literature
1	2	3	4	5	6
	HPLC				
1	High pressure binary pump with wide range of flow rate (0 to 5 ml/min or better).				
2	Precision: 0.5% or less.				
3	The machine should be operable both in isocratic and gradient mode.				
4	Maximum operating pressure: 600 bar or more.				
5	The pump should be corrosion resistant and applicable to wide range of pH and solvents				
6	Flow accuracy: ±1% (maximum).				
7	Should contain a manual injector with injection volume range of 0.1 to 100 µl.				
1	Degasser Unit				
2	Degassed solvent channels: 4 or more. Flow line capacity: 4 ml or more.				
<i>L</i>	Auto sampler				
1	The auto sampler should work with injection volume range of 0.1 to 100 µl.				
2	Tray capacity of 100 vials or more.				
3	Auto sampler with provision of rinsing of needle between injections with variable injection volume.				

E-mail: spo@ciab.res.in; hardipbpu@gmail.com Website: www.ciab.res.in

Office Tel: 0172-5221400 Fax: 0172- 5221499



# **Center of Innovative and Applied Bioprocessing (CIAB)** (A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

4	Carry over: ≤1%.		
	Column oven		
1	Oven should have temperature control system.		
2	Operating temperature: ambient to 80°C or more.		
3	Should be able to hold 30 cm column in either horizontal or vertical format.		
4	Accuracy: ± 0.5°C or less.  PDA/DAD detector		
1	Wavelength range: 190 to 800 nm or wider.		
2	Wavelength accuracy: ± 1nm ( maximum)		
3	Drift: 1 ×10 <sup>-3</sup> AU/ hr or less.		
4	Linearity: 2 AU or more.		
	RI detector		
1	Drift: 2×10 <sup>-7</sup> RIU/ hr or less.		
2	RI range: 1-1.75 RIU		
3	Flow cell volume: 9 μL or more.		
4	Noise: 2.5 ×10 <sup>-9</sup> RIU or less.		
	Software and hardware		
1	The software should be original and authenticate and capable of having single point control of all system dependable components.		
2	The software should be compatible for running GPC/SEC analysis and its calibration.		
3	Should have option for report generation, online help and answer Real time view of the chromatograms.		
4	One branded desktop computer (processor Intel core i7 @3.40 GHz; RAM – 8 GB; Memory 1 TB; screen size 23 inch or more; DVD writer drive; keyboard and mouse) with LaserJet color multifunction printer.		
	Optional accessories:		

E-mail: spo@ciab.res.in; hardipbpu@gmail.com Website: www.ciab.res.in

Office Tel: 0172-5221400 Fax: 0172-5221499



**Center of Innovative and Applied Bioprocessing (CIAB)** (A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

1	Column for analysis of sugars		
	(glucose, galactose, xylose, arabinose,		
	mannose), ethanol, furan compounds,		
	acids (levulinic acid, acetic acid,		
	formic acid) in 5 mM H₂SO <sub>4</sub> using RI		
	detector; Dimensions: 300 mm L and		
	8 μm porosity - <b>One quantity</b> .		
2	Column for analysis of carbohydrate		
	sugars (sucrose, maltose, lactose,		
	glucose, galactose, fructose) in H₂O		
	using RI detector; Dimensions: 300		
	mm L and 8 μm porosity - <b>One</b>		
	quantity.		
3	C18 column with dimensions: 250 mm		
	L and 5 μm porosity - <b>One quantity</b> .		
4	Appropriate guard column should be		
	provided- One quantity.		
	All the accessories prices should be		
	included in the quote separately.		
	Warranty: At least 01 year for		
	complete instrument with all		
	modules and labor		



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE "B"

## PRICE SCHEDULE FOR GOODS BEING OFFERED FROM INDIA IN INR

	Name of the Bio	dder								
1	NIQ No	3	4	5	6	7	8	9	10	11
SI. No.	Item Description	Country of Origin	Unit	Qty	Ex-Works. Ex- Warehouse, Ex-show room off the shelf price (inclusive of all taxes already paid)	Total price  Ex-Works. Ex- Warehouse, Ex- show room off the shelf price (inclusive of all taxes already paid) 5x6	VAT & other taxes like excise duty payable, if contract is awarded	Packing & forwarding up to station of dispatch, if any	Charges of inland transportat ion, insurance up to Lab./Instt.	Installatio n, Commissi oning & training charges, If any.
	Total Bid price i	n Indian Rupe	ees							in
	words.									
	<ul><li>(a) The cost of</li><li>(b) Cost of span</li></ul>	•			, ,					
	It is certified:									
	ii) CIAB/1(iii) That the	(226)/17-18 terms and co information f	/ <b>N.Pur</b> ndition urnishe	_dated s given ind d by me	12.09.2017 and the tender not /us is true and	the requirement drates have been tice are acceptable correct.	n quoted acc le to me/us.	cordingly.	Tender Not	ice no.
							Signature	of Bidder		
							Name:			
							Name &	Address of	f the firm	



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

**ANNEXURE "C"** 

**Authorized Signature & Seal of the Firm** 

## PRICE SCHEDULE FOR GOODS BEING OFFERED FROM ABROAD

1	2	3	4	4 5	6	3	7	7	3	8	9
SI No	Item Description	Country of origin	Unit	Qty	Unit Price		Total (5)		Insura transp n to place	ges for ance & portatio port/ ce of nation	Total Price (7+8)
					FOB (named port of shipment)	FCA (named place of delivery)	FOB (named port of shipment)	FCA (named place of delivery)	Ocea n	Air	CIF
ote	Bid price in formal states and agents of Spares The Indian age	name & a mmission s ent's comi	ds.  ddress ing & ti mission revailir	raining shall	paid in India	an Rupees					
) 1 c ii ) 1	on the Exchannace he cost of operatified:  That I/ we  CIAB/1(226  That the term  That the information in the cost of operation in the cost of ope	have gon have gon 1)/17-18/I ns and con- rmation fu	ns shall e throu N.Pur d ditions p rnished	ugh and lated if by me	d understoo 12.09.17 and the tender /us is true a	od the red I rates have notice are a nd correct.	been quote acceptable to	d according me/us.	ly.	Tender	Notice
) 1 c ii ) 1 is	n accordance The cost of op- certified: That I/ we CIAB/1(226 That the term	have gon have gon 1)/17-18/I ns and con- rmation fu	ns shall e throu N.Pur d ditions p rnished	ugh and lated if by me	d understoo 12.09.17 and the tender /us is true a	od the red I rates have notice are a nd correct.	been quote acceptable to organization S	d according o me/us. /departmer ignature of	ly. nt.	Tender	Notice
i (	n accordance The cost of op- certified: That I/ we CIAB/1(226 That the term That the info	have gon have gon 1)/17-18/I ns and con- rmation fu	ns shall e throu N.Pur d ditions p rnished	ugh and lated if by me	d understoo 12.09.17 and the tender /us is true a	od the red I rates have notice are a nd correct.	been quote acceptable to organization S	d according me/us.	ly. nt. <b>Bidder</b>		



(A National Institute under Department of Biotechnology, Government of India)
Sector-81(Knowledge City), Manauli P.O.
S.A.S. Nagar, Mohali-140306, Punjab, India

**ANNEXURE "D"** 

## PRICE REASONABILITY CERTIFICATE

This is to certif	y that we have o	ffered the maximum po	essible discount to you in our Quotation No.
	dated	for (Currency)	·
on lesser rates	than those bein	•	ninimum and we have not quoted the same iter y other customer nor they will do so till the ever is later.
			Seal and Signature of the tenderer



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

Annexure 'E'

#### TERMS AND CONDITIONS OF THE SERVICE CONTRACT

- i) During the service contract period, the firm shall provide at least THREE preventive maintenance visits and attend to all emergent and break-down calls per year.
- ii) The service contract charges beyond warranty period must be quoted separately for each year strictly as under and quoting of rates in ambiguous terms or in percentage terms etc., shall render the tender liable to rejection:-

Year	AMC (Rs.) (Figures/words)	CMC (Rs.) (with parts) (Figures/words)
Rate for 1st year		
Rate for 2 <sup>nd</sup> year		
Rate for 3 <sup>rd</sup> year		
Rate for 4 <sup>th</sup> year		
Rate for 5 <sup>th</sup> year		

- iii) The service contract charges should be quoted only for services and travel cost etc. and should not include the cost of any replacement parts/components which shall be arranged by the Institute at its own cost.
- In each block of 365 days during the entire service contract period the firm will be responsible to maintain the equipment in good working condition for a period of 328 days (i.e. 90% uptime). The time taken by the Institute in providing to the firm the spare parts shall not count towards the downtime. All the complaints will be attended by the firm within 5 days of the dispatch of the complaint to their office. In case there is delay of more than 5 days in attending to a complaint then the number of days in excess of the permissible response time shall be counted in the downtime. The above said response time of 5 days for attending to a complaint will not be counted in the downtime. In case total downtime exceeds the permissible limit as defined above, the service contract shall be extended by the period in excess of the permissible downtime subject to limit of 30 days in a block of 365 days. However, for the period of the downtime in excess of 30 days in a block of 365 days. However, for the period of the downtime in excess of 30 days, a fine equivalent of double the daily service contract charges shall be recovered from the firm.
- v) The replaced parts shall remain the property of the Institute.
- vi) The firm shall try to repair the equipment at Institute itself. However, the equipment may be taken to their site, on their own expenses if in case it is not possible to repair the same at CIAB, the firm shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till this is handed over to purchaser after repair. Any loss of equipment or its accessories on account of theft, fire or any such reasons shall be the sole risk and responsibility of the firm who will compensate the Institute for such losses at FOB value of the damaged/lost equipment/part including accessories.
- vii) During the service contract period the parts/components that may be needing replacement shall made available by the Institute at their own expenses and all import formalities, payment of custom duty etc., shall be complied with/borne by the Institute.
- viii) All service contract charges will be invoiced on yearly basis on completion of annual maintenance contract/CMC. The payment of the invoice will be made after verification of service invoice satisfactorily by user within 30 days of the date of submission of the invoice.
- ix) No price revision will be accepted by the Institute during the entire tenure of the service contract agreement.